

Tools and Benchmark for robustness code evaluation against fault injection

Marie-Laure Potet and Lionel Morel

VERIMAG, Grenoble, France
CEA-Dacle, Grenoble, France

21 mai 2018



Challenges :


⇒ How to build and evaluate applications robust against fault injection attacks ?

- Reproducible evaluation processes :
 - ▶ tools adaptable to new fault models and attack technics
 - ▶ evaluation process adaptable to the considered context (smartcard, secure element, lot, TEE, ...) and expected level of assurance
- Spatial and temporal multi-faults as a the state-of-the-art requiring to to revisit :
 - ▶ fault model combination and representative attacks
 - ▶ helping developpers to chose adapted counter-measures
 - ▶ result analysis and robustness evaluation metrics

Our works

- A whole process for helping vulnerability analysis (CEA Cesti/VERIMAG)
- FISCC : a Fault Injection and Simulation Secure Collection (project ANR-DGA ASTRID 2014)
- Lazart : a public tool based on symbolic execution for helping developers and auditors
- Adding counter-measures at the compiling time (CEA-Dacle)
- A new type of application and domain : attacking secure boots (project IRT Nanoelec CLAPS)

From Perturbation Attack to Fault Injection



- Attacker cannot choose the fault in code with precision

$$f \hat{=} (i = 124, \text{store}([0x540d], 0))$$

- Only chooses the parameters of the equipment

$$p \hat{=} (x = 12 \mu\text{m}, y = 24 \mu\text{m}, d = 3800 \text{ ns}, w = 850 \text{ ns})$$

Assessing Robustness Against Fault Injection

Is an embedded application robust against fault injection ?

- **Penetration Testing** : Physical perturbation attacks on the application under test to **inject faults**.
 - ▶ Look for successful attacks (=compromising security).
 - ▶ Factors for Attack Potential Calculation
- **Code Analysis** : Detect vulnerabilities in the application with a **code review**.
 - ▶ Look for attack paths using a given fault model.
 - ▶ Originally manual process, now with automatic tools
 - ▶ Success rate $\mathcal{T} = \frac{\mathcal{F}_S}{\mathcal{F}}$.

<i>Elapsed time</i>	Rating
< one hour	0
< one day	3
< one week	4
< one month	6
> one month	8
Not practical	—





Figure – The 2 processes


The Louis Dureuil's thesis end-to-end Approach



Lazart (1)


⇒ C code robustness evaluation against fault injection based on symbolic execution

- a single mutant embedding fault models and fault injections
- guided by a goal : reach or avoid a CFG block or a logical formula
- supporting multiple faults and several (potentially symbolic) fault models
- strategies to inject faults depending on the fault model and goals.



Lazart (2)

- A notion of redundant attacks (fault injection points)
- Scenario representation in terms of graphs
- Could be used for countermeasures analysis



#fault injection	#attacks	#non redundant attacks
1	2	2
2	9	1
3	19	0
4	21	1

Countermeasures analysis

Objectives : how to choose adapted countermeasures ?

- depend on the fault model
- could be costly
- complexity due to multiple fault injection (CM can be attacked)

Exemple	Reach CM (1F)	Attaques (1F)	Reach return ($\neg CM$ et $\neg Auth$)		Nb appels CM
			0F	1F	
VPIN ₀	N/A	2	1	0	0
VPIN ₁	1	2	1	2	1
VPIN ₂	5	2	1	5	1
VPIN ₃	5	2	1	5	1
VPIN ₄	8	2	1	5	5
VPIN ₅	7	0	1	5	2
VPIN ₆	7	0	1	5	3
VPIN ₇	17	0	1	5	13

⇒ Could be extended to the point where countermeasures are raised.

FISSC : an open source secure collection

Content :

- A collection of (extensible) examples
- High level attack scenarios with regard to success oracles

Example	Oracle
VerifyPIN	<code>g_authenticated == 1</code>
VerifyPIN	<code>g_ptc >= 3</code>
KeyCopy	<code>! equal(key, keyCpy)</code>
GetChallenge	<code>equal(challenge, prevChallenge)</code>
CRT-RSA	<code>(g_cp == pow(m,dp) % p && g_cq != pow(m,dq) % q) (g_cp != pow(m,dp) % p && g_cq == pow(m,dq) % q)</code>

Countermeasures : hardened booleans, virtual stack, double arguments, step counter, loop counter, data redundancy, double calls, double tests, control flow integrity

Programming Features : Explicit call, Fixed Time Loops, inlining

Results

- Normalized and modular examples
- C sources and Thumb-2 assembly listings
- high-level attack scenarios on CFG

Example

VerifyPIN

+fixed time loops

+FTL +inlining

+FTL +INL +loop counter

+FTL +double calls

+FTL +INL +double tests

+FTL +INL +DT +step counter


+control flow integrity

+FTL +INL +DT +SC +CFI

1-fault

2-fault

2	0
2	1
2	1
2	0
0	4
0	3
0	2
0	2
0	1



CFG for 'VerifyPIN_2' function

Using the benchmark

- Get <http://sertif-projet.forge.imag.fr/>
- Analyze C sources, asm listings
- Compare your results against the archived results
- Contribute your examples, countermeasures and results

⇒ An example with results using CELTIC and EFS :

<http://sertif-projet.forge.imag.fr/pages/example.html>